



ZIPWALL[®]

The **zero dust** solution

Temporary
**containment
barriers**

zipwall.com.au

What is ZipWall®

ZipWall® is a system of adjustable spring-loaded poles that hold up sheeting to form a barrier, delineate a work zone or create a cutting room. Ideal for containing dust during renovations, refurbishments, demolition and maintenance in sensitive or occupied areas.



Why ZipWall®? – Save time and money

► Typical plastic screen
10m long
2.7m ceiling height



Takes 2 men up to 30 minutes to install ☒

Shabby and poorly presented ☒

Requires tape and fixings to install ☒

Hours to remove and repair damage ☒

Step ladders required to install ☒

Unreliable dust seal ☒

No access through barrier ☒

► ZipWall® barrier
10m long
2.7m ceiling height



Takes 1 man just 5 minutes to install ☒

Smart and professional looking ☒

No tape or fixings required ☒

5 minutes to pack up, zero damage ☒

Installed by 1 man from the ground ☒

Effective dust seal ☒

Zipper option for easy access ☒

ZipWall® – ***Gets all the ticks!***



Set up a dust barrier in any configuration in just a few minutes. **See more on pages 4, 5 and 6.**



Extra tall poles for screening up to 6 metres high. **See more on page 7.**



Tight-Seal options to gain a high level of containment. **See more on pages 4, 5, 8 and 9.**



“Your dust prevention kit **for life.**”

- ▶ **No tools, tape or fixings**
- ▶ **No damage** to ceilings, walls or floors
- ▶ **Reusable** many times over
- ▶ **Height** range options from **1.5 - 6.0m.**

ZRK4 – ZipWall® Room Kit

Create a 3 or 4 sided enclosure or divide up a room with up to 10m of dust barrier in any ceiling height up to 3.8m.

- ▶ 4 x Spring-Loaded Poles (1.4m - 3.8m)
- ▶ 1 x Carry Bag
- ▶ 10m x 4m Containment Sheeting



ZSP4 – ZipWall® Zip and Seal Pack

Everything that comes in the room kit plus handy zipper access and the effective Tight-Seal rails.

- ▶ 4 x Spring-Loaded Poles (1.4m - 3.8m)
- ▶ 2 x Tight-Seal Rails (1.5m long)
- ▶ 2 x Premium Zippers + Zipper Cutter
- ▶ 1 x Carry Bag
- ▶ 10m x 4m Containment Sheeting



ZCP6 – ZipWall® Complete Seal Pack

A more complete all-round kit incorporating Tight-Seal and Side-Seal accessories for a total dust seal plus zippers for easy access.

- ▶ 6 x Spring-Loaded Poles (1.4m - 3.8m)
- ▶ 4 x Tight-Seal Rails (1.5m long)
- ▶ 2 x Side-Seal Clamps
- ▶ 2 x Premium Zippers + Zipper Cutter
- ▶ 1 x Carry Bag
- ▶ 10m x 4m Containment Sheeting



▶ Every ZipWall® pole includes a non-skid head/plate and a floor GripDisk™. Each 1.5m foam rail includes a T-clip.



Create a 3 or 4 sided enclosure or a straight barrier to divide an area.

Add Tight-Seal rails for an extra dust seal, and apply a zipper wherever you need access through your barrier.

“Without a doubt, one of the **best investments I’ve made.**”

– Bob, Maintenance Contractor.



ZPB10 – ZipWall® Premium Barrier Kit

The ultimate ZipWall® kit with everything you need to create a 20m long barrier with a good all-round seal, or a 10m long barrier with a total seal top and sides.

- ▶ 10 x Spring-Loaded Poles (1.4m - 3.8m)
- ▶ 10 x Tight-Seal Rails (1.5m long)
- ▶ 4 x Side-Seal Clamps
- ▶ 2 x Premium Zippers + Zipper Cutter
- ▶ 1 x Carry Bag
- ▶ 20m x 4m Containment Sheeting

new



ZMK12 – ZipWall® Mega Contractor Kit

A great value package for sealing off large areas (up to 50m long x up to 3.8m high) and minimising the spread of dust. Ideal for retail and public areas, medical, commercial and industrial applications.

- ▶ 12 x Spring-Loaded Poles (1.4m - 3.8m)
- ▶ 2 x Premium Zippers + Zipper Cutter
- ▶ 1 x Carry Bag
- ▶ 50m x 4m Containment Sheeting

new



The ultimate ZipWall® solution. Double zippers to create a wide doorway for equipment access, and Tight-Seal and Side-Seal rails top and sides.

Contain dust and debris inside the construction zone and save cleanup time and expense. Seal off large areas in retail and commercial environments with the Mega Contractor Kit.

“The next best thing to a **true hermetically sealed work area.**” – Industry expert



ZWP2 – ZipWall® Poles - 2 Pack

The entry level kit with 2 standard poles – ideal for sealing off a hallway, a doorway or a room up to 5m wide.

- ▶ 2 x Spring-Loaded Poles (1.4m - 3.8m)

**ZWP4 – ZipWall® Poles - 4 Pack**

Mid-size kit for creating a basic enclosure or barrier up to 12m long in standard ceiling heights (up to 3.8m).

- ▶ 4 x Spring-Loaded Poles (1.4m - 3.8m)

**ZWP6 – ZipWall® Poles - 6 Pack**

Proven kit that offers great coverage for a wide range of projects. Seals off areas up to 20m long.

- ▶ 6 x Spring-Loaded Poles (1.4m - 3.8m)

**ZPZ2 – Premium Zippers - 2 Pack**

These premium self adhesive zippers can be stuck to your dust barrier wherever you need access. Use the handy Zipper Cutter to ensure your zipper is catch free.

- ▶ 2 x Premium Zippers + Zipper Cutter



- ▶ Every ZipWall® pole includes a non-skid head/plate and a floor GripDisk™. Each 1.5m foam rail includes a T-clip.



ZipWall® poles are easy to install and can be re-used many times over.

The self-adhesive zipper provides a dust sealed entry/exit point that is not only functional but is very impressive with a clean, smart image.

“For a **small investment**, your company can **fulfill** its **duty of care** and **look a million dollars** in the process.”



ZST2 – ZipWall® Super-Tall Poles - 2 Pack

Super-Tall poles allow you to create a dust barrier for ceiling heights up to 6m. Ideal for retail, hotel lobbies, industrial facilities and much more.

- ▶ 2 x Spring-Loaded Poles (1.6m - 6.1m)

**ZST10 – ZipWall® Super-Tall Kit**

A great kit for extra tall facilities – seals off up to 50m long in ceilings up to 6m high. Ideal for projects in stairwells, supermarkets, airports and any other situation where the ceilings are higher than standard (4m - 6m).

- ▶ 10 x Spring-Loaded Poles (1.6m - 6.1m)
- ▶ 2 x Premium Zippers + Zipper Cutter
- ▶ 1 x Carry Bag
- ▶ 50m x 6m Containment Sheeting

new

**ZCB1 – ZipWall® Carry Bag**

Handy and durable carry bag comfortably holds 12 poles, 8 Tight-Seal rails and accessories.

- ▶ 1 x Carry Bag



Create a work zone in part of a department store or supermarket whilst allowing the rest of the store to keep trading.

The Super-Tall poles (1.6 - 6.1m) are ideal for industrial applications as well as retail, commercial, public buildings, etc.

“The ZipWall® intervention for **maximum dust prevention.**”



ZTS2 – ZipWall® Tight-Seal Rails - 2 Pack

Clip Tight-Seal rails onto standard or Super-Tall ZipWall® poles and press firmly against the ceiling to create a comprehensive seal around your dust barrier whilst avoiding damage to even the most sensitive finishes.

- ▶ 2 x Tight-Seal Rails (1.5m long)
(Includes 2 x T-Clips for connecting to ZipWall® Poles)

**ZSC2 – ZipWall® Side-Seal Clamps - 2 Pack**

Use Side-Seal clamps along with Tight-Seal rails to provide a damage free dust seal against walls and columns.

- ▶ 2 x Side-Seal Clamps

**ZSK6 – ZipWall® Side-Seal Kit**

Dedicated Side-Seal kit for use with ZipWall® poles. Seal the edges of your barrier without using tape.

- ▶ 6 x Tight-Seal Rails (0.9m long)
- ▶ 6 x Side-Seal Clamps
- ▶ 1 x Carry Bag



Connect 1.5m Tight-Seal rails to ZipWall® poles to create a tighter seal against the ceiling.

Attach Side-Seal clamps to Tight-Seal rails and poles to obtain a dust seal against walls and columns.

“Create a complete dust seal without the need of tape or fixings, **eliminating damage** to surrounding walls and ceilings.”



“ZipWall® is successfully being used in a **vast spectrum of locations nationally.** With such incredible features it's little wonder ZipWall® has been **awarded numerous prestigious Construction and Industry awards** throughout the world almost every year since 1998.”

ZFA2 – ZipWall® Floor Adaptors - 2 Pack

Innovative attachment for connecting Tight-Seal rails to the base of ZipWall® poles allowing for a completely sealed barrier – top, sides and floor!

- ▶ 2 x Floor Adaptors for standard ZipWall® Poles

new



ZFS4 – ZipWall® Floor and Ceiling Dust Seal Kit

Now you can seal both the ceiling and the floor without tape. The Floor Adaptor replaces the rubber foot so you can use Tight-Seal rails at the floor.

- ▶ 2 x Spring-Loaded Poles (1.4m - 3.8m)
- ▶ 4 x Tight-Seal Rails (1.5m long) with T-Clips
- ▶ 2 x Floor Adaptors for standard ZipWall® Poles


new



The innovative Floor Adaptor replaces the rubber foot at the base of standard ZipWall® poles, allowing you to connect to Tight-Seal rails for a total seal when used in conjunction with Tight-Seal and Side-Seal accessories.



“ZipWall is a new dust control system that can **save contractors hundreds of hours.**” – Project consultant



ZRP1 – ZipWall® Caution Tape Reel Pack

Professional looking, re-windable Caution Tape Reel that attaches to ZipWall® poles for a quick and easy safety barrier.

- ▶ 1 x Caution Tape Reel
- ▶ 1 x Roll of Caution Tape 98 x 100mm
- ▶ 6 x Tape Clips

**ZFC6 – ZipWall® – Facility Caution Pack**

The complete site segregation solution incorporating ZipWall® poles, plastic containment sheeting and a carry bag as well as the Caution Reel kit. Create a fixed safety barrier in minutes, or add plastic for a physical barrier or dust screen at the same time.


- ▶ 6 x Spring-Loaded Poles (1.4m - 3.8m)
- ▶ 1 x Caution Tape Reel
- ▶ 1 x Roll of Caution Tape 98 x 100mm
- ▶ 6 x Tape Clips
- ▶ 1 x Carry Bag
- ▶ 20m x 4m Containment Sheetting

new

**ZZH1 – ZipWall® ZipHook™ Hanging Solution**

The sturdy ZipHook™ accessory clips on to ZipWall® poles to create a solid hanging solution anywhere there is a ceiling. ZipHooks provide a ballast-free alternative to heavy lead stands for cables which is ideal for multi-storey projects. These versatile hooks can also be used for site storage or even to hold up acoustic screening.

- ▶ 1 x ZipHook™



Set up around your work area or any other hazardous or sensitive zone. Can also be used in conjunction with containment sheeting to create a visual or physical barrier up to 98m long.

The caution tape reel simply clips on to a ZipWall® pole and then winds out to create a tidy professional barrier that can then be reeled back in and re-used over and over.



ZZD37 – ZipDoor™ - STD

The new ZipDoor™ kit is the perfect way to create a dust barrier when all you need to seal is the doorway. With its built in double-sided tape feature one person can easily install it in under a minute.

- ▶ 1 x Heavy Duty ZipDoor™ sheet (914 x 2134mm) with 2 x Premium Zippers pre-installed
- ▶ 1 x Roll of special Lo-Hi Tack double-sided Tape for mounting

new

ZZD48 – ZipDoor™ XL - FR

A larger ZipDoor™ for commercial applications incorporating fire retardant sheeting.

- ▶ 1 x Fire Retardant Heavy Duty ZipDoor™ sheet (1219 x 2438mm) with 2 x Premium Zippers pre-installed
- ▶ 1 x Roll of special Lo-Hi Tack double-sided Tape for mounting



ZDT25 / ZDT50 – ZipTape

Cover any opening, built-in or fixture using plastic sheeting and ZipWall® double-sided tape. It's like traditional painter's tape on one side, while the other side has an adhesive specially designed to hold plastic sheeting.

- ▶ 14 Day Rating
- ▶ Lets you reposition plastic for up to 1 hour
- ▶ Also used as Hi-Lo Exhibition Tape

new



◀ ZDT25 – ZipTape (25mm x 18m) roll



▶ ZDT50 – ZipTape (50mm x 18m) roll

“**Prevent** a painting, sanding, grinding, cutting or demolition job from becoming **a clean-up nightmare.**”



Create a resealable doorway barrier in no time at all.

Cover any fixture or opening in any shape or size using plastic and ZipTape – no dust, no damage and no worries.



“ZipWall's® state of the art system provides **simple and effective dust control at a reasonable cost.**”

– Lewis, Construction company owner.

“Make **customer safety** your priority.”

Parts and accessories

ZIP22 – Premium Zippers - 2 Pack

Premium self adhesive zippers can be stuck to your dust barrier wherever you need access. Use the handy Zipper Cutter to ensure your zipper is catch free. Includes 2 x Premium Zippers + Zipper Cutter.



ZSZ2 – Standard Zippers - 2 Pack

The standard self adhesive zipper is ideal for quick jobs and general use applications.

Includes 2 x Standard Zippers.



ZNK1 – Non-Skid Plate

PH neutral, non-skid rubber top plate that clips onto the ZipWall® head and grips to the ceiling.



ZHS1 – Head (Keyhole Snap)

Top plate assembly that clips onto the ball joint at the top of ZipWall® poles – the plastic sandwiches between this and the Non-Skid plate.



ZTC1 – T-Clip

Special attachment for holding Tight-Seal rails that clips to the top of any ZipWall® pole.



ZBH2 – Replacement Ball for ZipWall® Poles

Threaded ball / knuckle screws on to the metal plunger rod at the top of ZipWall® Poles.



ZGD1 – GripDisk™

Holds the bottom of ZipWall® poles securely in place on slippery floors and surfaces such as vinyl, marble or polished timber.



ZFP12 – Foot Plug Assembly

(For Standard 3.8m pole)

ZFP20 – Foot Plug Assembly

(For Super-Tall 6.1m pole)



Protecta-Sheet (Polythene Film)

Protecta-Sheet is ideal for dust containment / privacy screens in conjunction with the ZipWall® barrier system.

Versatile

A range of sizes are available to suit varying applications and ceiling heights (3m, 4m and 6m) in lengths ranging from 10 to 100 metres.

Range of Colours


- ▶ **Clear** – allows maximum light and visibility.
- ▶ **Translucent Green** – high visibility – gives privacy whilst allowing light through.
- ▶ **Black** – for complete privacy and blackout.
- ▶ **Translucent White** – low profile – blends with environment and gives privacy whilst allowing light through.



ZipWall® is so **easy** to install


Step 1

Attach the head assembly to the pole and then slide the Non-Skid plate to remove it from the head.




Step 2

Clamp plastic sheeting between the two piece head assembly and slide the pegs into the keyhole slots to lock in.



Step 3

Unlock the pole by twisting the inner pole, then extend up to ceiling with the plastic attached.




Step 4

With the foot on the floor, press the spring-loaded head of the pole against the ceiling and then twist clockwise to lock.



Step 5

Ensure the plastic is not sagging between poles, and release then pull taut if required.



Step 6

To secure the sheeting at the base, lift each pole and pull the plastic under the foot to make a tight fit. You are now ready to go.



How to **install** the Zipper

Step 1

Select the appropriate place for an entry/exit point to your barrier and line up the zipper.




Step 2

Peel off the adhesive backing and stick the zipper to the plastic finishing at floor level.



Step 3

Open up the zipper and cut an opening using the double bladed Zipper Cutter.



Step 4

Your zipper is good to go and you now have a completely dust sealed entry point.



“Contractors across all industries have given ZipWall® products an enthusiastic thumbs-up. **With no tape, no ladders, and no damage, ZipWall® adds a professional touch to any job site.**”

ZipWall® in action



Use in conjunction with portable self-contained air filtration machines. These units can be used in enclosed areas as stand alone air scrubbers or built into the ZipWall® barrier to create negative air pressure.

Use two zippers to create a doorway opening as wide as you like for bringing equipment in and out of your work area.



The approved and specified air quality control system by Health Authorities and Infection Control Departments nation wide.

ZipWall® means an office or IT room can keep functioning through a renovation.



As a residential renovation specialist, we work in people's homes. ZipWall® is a wonderful tool – it saves us a great deal of time in separating the client's living space from our work space. The product helps us to keep a job site tidy and to maintain a good relationship with our clients. – Josh, Home builder (Alterations and Additions).

"ZipWall® adds to the professional appearance of my work and is amazingly easy to use. I don't know how I managed without it." – Paul, Flooring contractor.



ZipWall® is so versatile it can be used for a range of random uses as broad as your imagination like this project above where the ceiling was protected from concentrated sanding dust by stringing the poles horizontally wall to wall!



Miscellaneous ZipWall® uses:

- ▶ Displays and exhibitions ▶ Stage backdrop props ▶ Green houses ▶ Temporary spray booth
- ▶ Floodlight support ▶ Cornice and gyrock installation prop ▶ Holding up cabinetry during installation.



ZipWall® can be used in conjunction with lower height hoarding systems such as Hoardfast™ in retail environments or other public spaces to give a floor to ceiling dust seal with the solid security and privacy hoarding up to eye-level.



From a department store to a fast food restaurant, ZipWall® is used widely in retail and other areas of the public domain to allow business to go on whilst maintenance and construction activities are being carried out.




► ZipWall® – **stopping dust and solving problems** in a myriad of applications including:

- Sanding, cutting & grinding
- Block, tile & sheet cutting
- Demolition & strip out works
- Flood & fire restoration
- Mould remediation & abatement
- Improving air quality from fumes, gases, odours & overspray
- Containing the spread of contamination
- Infection & epidemic control
- Privacy screening

► ZipWall® is being used in a wide range **of industries and locations nationwide including:**

- Supermarkets & other retail
- Hospitals & health facilities
- Food processing plants
- IT/comms rooms & data centres
- Laboratories
- Clean rooms
- Offices
- Homes
- Clubs
- Hotels
- Airports
- Museums
- Schools
- Universities
- Other public buildings



“Dust inhalation adversely affects the health of a large number of people nationwide across a broad range of work activities. The ZipWall® screening system is **the proven solution to prevent dust** from contaminating the environment and the personnel in it.”

ZipWall® – *the **zero dust** solution.*

- ▶ Rapid installation **saves time**
- ▶ Can be re-used time after time **saves money**
- ▶ No tape or fixings **avoids damage**
- ▶ Complete seal **stops dust spreading**
- ▶ No ladders or trestles needed **improves safety.**

For further information and detailed demonstrations: zipwall.com.au